



MAIN PRODUCTS

»»


Carbon Steel

Carbon Steel Plate
Carbon Steel Coil
Carbon Steel Pipe
Carbon Steel Round Bar
Carbon Steel Rebar



Galvanized Steel

Galvanized Steel Plate
Galvanized Steel Coil
Galvanized Steel Pipe
Galvanized Corrugated Steel Plate




Stainless Steel

Stainless Steel Plate
Stainless Steel Coil
Stainless Steel Pipe



Color Coated Steel

PPGI/PPGL
Color corrugated steel plate



C O N T E N T S



OTHER PRODUCTS

»»

Section Steel

Channel steel
Angle Bar
H-beam
I-beam
Steel Rail



Aluminum

Aluminum Plate
Aluminum Coil
Aluminum Bar
Aluminum Ingot



Copper

Copper Plate
Copper Coil
Copper Bar

C O N T E N T S

CARBON STEEL

>>>

Carbon Steel Plate

- **Standard:** ASTM A20/A20M,A36/A36MJIS G3115,DIN 17100,EN 10028,GB,etc
- **Material:** Q195,Q235,Q235b,Q345,A36,SS400
- **Width:** 500-2200mm,As Your Request
- **Thickness:** 0.2mm~300mm
- **Surface:** Clean, blasting and painting ,Decorative pattern or as client requirement



Carbon Steel Coil

- **Standard:** ASTM,AISI,SUS,JIS,EN,DIN,BS,GB,etc
- **Material:** Q195, Q215,Q235,Q345,ST37,A36,45#,16Mn,SPHC,CGCC
- **Thickness:** Hot Rolled Thickness:2.75mm-100mm;Cold Rolled Thickness:0.2mm-3mm
- **Width:** 45mm-2200mm, As Your Request
- **Surface:** Bare,Black,Oiled,Shot Blasted,Spray Paint,Coated,etc
- **Coil ID:** 508-610mm or as per your request
- **Coil Weight:** 3~5 Tons or as per your request



Carbon Steel Pipe

- **Material:** A36,A53,A106,A192,ST52,Q355,A210,T12,T11,P5,P9,P91,T22,A333,4140,5135 etc
- **Standard:** AISI,ASTM,JIS,GB,DIN,EN,SUS,etc
- **OD(round):** 8-1200mm or as request
- **Thickness:** 1-200mm or as request
- **Grade:** 1.7220,1.7336,1.2601,1.7380,1.7335,1.0033,1.0116 etc



Carbon Steel Round Bar

- **Size:** O.D:8-480mm
- **Length:** 1-12m
- **Standard:** AISI,ASTM,GB,DIN,BS,JIS
- **Grade:** 12Cr1MoV,Cr5Mo,15CrMo,30CrMo,40CrMo,20SiMn,12Cr1MoVG,15CrMoG,42CrMo,20G
- **Surface Treatment:** Black Painted,PE Coated,Galvanized or Customized all available



Carbon Steel Rebar

- **Material:** Q195,Q235,Q345;ASTM A53 GrA,GrB;STKM11,ST37,ST52,16Mn etc
- **Size:** 6mm,8mm,10mm,12mm,14mm,16mm,20mm,22mm,25mm,30mm,32mm,40mm
- **Length:** 6-12m or as request
- **Standard:** BS4449-2005,GB1449.2-2007,JIS G3112-2004,ASTM A615-A615M-04a
- **Grade:** Grade A,Grade B,Grade C



STAINLESS STEEL

»»

Stainless Steel Plate

- **Standard:** AISI,ASTM,DIN,JIS,GB,JIS,SUS,EN,etc
- **Length:** As Required
- **Width:** 3mm-2000mm or as Required
- **Thickness:** 0.1mm-300mm or as Required
- **Surface Treatment:** NO.1, 2B, NO.4, 8K Mirror, Alloy Plate,or According to Customer Requiement
- **Material:** 201,202,304,304L,316,316L,317L,347H,310S,309S,430,904L,2205,2507,2101



Stainless Steel Coil

- **Standard:** AISI,ASTM,DIN,JIS,GB,BS,JS,EN,etc
- **Length:** 500mm-3000mm
- **Width:** 500mm-6000mm or as Required
- **Duplex Steel:** 2101,2205,2507,2707
- **Thickness:** 0.1mm-150mm
- **Surface Treatment:** NO.1, 2B, NO.4. BA6K8K Mirror or According to Customer Requiement
- **Grade:** 200S,300S,304,304L,316,316L,400S,347H,310S,309S,430,904L,2205,2507,2101



Stainless Steel Pipe

- **Standard:** AISIASTM,DIN,GB,EN,JIS,etc
- **Size:** Wall thickness: 1mm-150mm(SCH10-XXS);Outer diameter:6mm-2500mm(3/8"-100")
- **Duplex Steel:** 2101,2205,2507,2707Surface
- **Treatment:** Pickling finish,NO.1, 2B, Polish,Hairline,No.4,Colour Pipe,Mirror etc
- **Material:** 201202 304,304L316,316L 317L347H,310S,309S,430,904L,2205,2507,2101




GALVANIZED STEEL



Galvanized Steel Plate

- **Standard:** EN10346, JIS G3302, ASTM A653, AS 1397, GB/T 2518
- **Steel Grade:** Dx51D, Dx52D, Dx53D, DX54D, DX55D, DX56D, DX57D, S220GD, S250GD, S280GD, S320GD, S350GD, S390GD, S420GD, S450GD, S550GD, SG-CD4, SGC340, CS-A, CS-B, CS-C, grade33, grade37, grade40, grade50, grade60, grade70, grade80
- **Thickness:** 0.12mm-6.0mm or 0.8mm/1.0mm/1.2mm/1.5mm/2.0mm
- **Width:** 600mm-1800mm or 914mm/1000mm/1200mm/1219mm/1220mm/1524mm
- **Zinc Coating:** Z30g/m²-Z600g/m²
- **Surface Structure:** Normal spangle (N), spangle-free (FS), Zero Spangle



Galvanized Steel Pipe

- **Standard:** EN10346, JIS G3302, ASTM A653, AS 1397, GB/T 2518
- **Steel Grade:** SPCC, SPCD, SPCE, ST12-15, DC01-06, Q195A-Q235A, Q195AF-Q235AF
- **Thickness:** 0.5-20mm
- **Zinc Coating:** Z30g/m²-Z600g/m²




Galvanized Steel Coil

- **Standard:** EN10346, JIS G3302, ASTM A653, AS 1397, GB/T 2518
- **Steel Grade:** Dx51D, Dx52D, Dx53D, DX54D, DX55D, DX56D, DX57D, S220GD, S250GD, S280GD, S320GD
- **Thickness:** 0.12mm-6.0mm or 0.8mm/1.0mm/1.2mm/1.5mm/2.0mm
- **Width:** 600mm-1800mm or 914mm/1000mm/1200mm/1219mm/1220mm/1524mm
- **Zinc Coating:** Z30g/m²-Z600g/m²
- **Surface Structure:** Normal spangle (N), spangle-free (FS), Zero Spangle
- **Weight:** 3 Tons -8Tons



Galvanized Corrugated Steel Plate

- **Standard:** JIS G3302, ASTM A653, EN10327/DIN 17162
- **Grade:** SGCC/CS-B/DX51D or equivalent
- **Types:** Commercial/Drawing/Deep Drawing/Structural Quality
- **Width:** 688/750/820/850/900/915
- **Thickness:** 0.12-2.5mm (0.14-0.5mm is the most advantage thickness)
- **Weight:** 2-3Ton Per Pallets



COLOR COATED STEEL





PPGI/PPGL

- **Standard:** PPGI:JIS G3303,GB/T 12754-1991;PPGL:ASTM A755/M,JIS G3322
- **Material:** DX51D,DX52D,S350GD,S550GD
- **Thickness:** 0.12-3.0 mm
- **Width:** 20-1500 mm,Normal width is 914/1000/1219/1250/1500 mm
- **Type of coating process:** Front:double coated&double drying;Back:double coated&double drying;single coated&double drying
- **Weight:** 3-12 tons



Color Corrugated Steel Plate

- **Standard:** JIS G3302,ASTM A653,EN10327/DIN 17162
- **Grade:** SGCC/CS-B/DX51D or equivalent
- **Width:** 688/750/820/850/900/915
- **Thickness:** 0.12-2.5mm (0.14-0.5mm is the most advantage thickness)
- **Weight:** 2-3Ton Per Pallets



SECTION STEEL



Channel Steel

- **Length:** 1m-12m,or according to your requests
- **Standard:** GB ASTM,JIS,SUS,DIN,EN etc
- **Materials:** Q195,Q235B,Q345B,S235JR/S235/S355JR/S355,SS400/SS440,304,316,316L,etc
- **Surface processing:** Galvanized,coated,punching or as your request



Angle Bar

- **Length:** 6m-12m or according to your requests
- **Standard:** AISI,ASTM,BS,DIN,GB,JIS
- **Thickness:** 2-16mm or according to your requests
- **Dimensions:** 20*20mm-200*200mm&25mm*16mm-200mm*125mm
- **Grade:** Q195-Q420,SS400-SS540,S235JR-S355JR,A36-A992,Gr50 etc



H-Beam/I-Beam

- **Size:** 100mm*68mm-900mm*300mm
- **Length:** 1m-12m, or according to your requests
- **Standard:** GB ASTM, JIS, SUS, DIN, EN etc
- **Material:** Q235B, Q345B, Q420C, Q460C, SS400, SS540, S235, S275, S355, S235JR, S235, S355JR, S355A3, A572, G50, G60
- **Surface:** Oiled, sand blasting, galvanizing, painting, cutting as your request



Steel Rail

- **Standard:** AISI, ASTM, BS, DIN, GB, JIS
- **Grade:** 50Mn/U71Mn
- **Length:** 12.5-25m
- **Weight:** 44.653kg/m
- **Web Thickness:** 14.5mm




COPPER

»»

Copper Plate

- **Standard:** ASTM, AISI, JIS, DIN, GB, EN
- **Grade:** C10100, C11000, C12000, C14200, C14420, C14500, C17200, C19200, C21000, T1, T2, T3, TU1, TU0, TU2, TP1
- **Temper:** O-H112; T3-T8; T351-T851
- **Thickness:** 0.3mm-100mm
- **Width:** 50mm-2500mm
- **Length:** 1000mm-12000mm



Copper Tube

- **Material:** C1220, C12000, C10200, T1, T2, T3, TP2, TU1, TU2, TU3, H62, H65, H70, etc
- **Standard:** GB/T17791-2007, ASTM B280, EN12735, AS1571, JIS H3300, etc
- **Model Number:** 3/16", 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1" copper tube
- **OD:** 3/16", 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1" or Customized
- **Length:** 15m/roll, 50m/roll or customized
- **Hardness:** 1/16 hard, 1/8 hard, 3/8 hard, 1/4 hard, 1/2 hard, full hard



ALUMINUM

>>

Aluminum Plate

- **Standard:** ASTM AISI JIS DIN GB
- **Surface:** Coated, Embossed, Brushed, polished, Anodized, etc
- **Grade:** 1050/1100/2024/3003/5052/5754/5083/6061/6063/7075
- **Temper:** O, H14, H24, H32, H112, T4, T651 Etc
- **Thickness:** 0.3mm-300mm
- **Width:** 100mm-2600mm
- **Length:** 1000mm-12000mm



Aluminum Coil

- **Length:** 1000-11800mm or as required
- **Width:** 600-2000mm
- **Thickness:** 0.13-1.0mm
- **Finish Treatment:** Mill Finish, Coated, Polished, as You Request
- **Grade:** 1100, 1050, 1060, 3003, 3004, 3005, 3104, 3105, 5005, 5052, 5754 etc



Aluminum Bar

- **Standard:** ASTM, AISI, JIS, DIN, GB
- **Grade:** 1000/2000/3000/5000/6000/7000
- **Material:** Aluminum Alloy
- **Thickness:** 0.1~200mm or as required
- **Width:** 0.1-20mm or as required
- **Type:** OEM Aluminum Extrusions Profiles
- **Temper:** T3-T8



Aluminum Ingot

- **Grade:** Al99.90/Al99.85/Al99.70/Al99.60/Al99.50/Al99.00/Al99.7E/Al99.6E
- **Weight:** 20/25kg
- **Density:** 2.7103g/cm³
- **Thickness:** 0.5-200mm
- **Width:** 100-2000mm



CERTIFICATE OF HONOR

»»



**Jiangsu Ranboyu Metal Products
Co.,Ltd.**

